

L3030G4 *Crop Nutrient Applicator*




NEW LEADER

L3030G4


Designed for flexibility and low maintenance, the L3030G4 dry box applicator is the ultimate fertilizer spreader. Spread fertilizer rates as low as 50 lbs/acre (56kg/hectare) to as high as 1,100 lbs/acre (1232kg/hectare) and still achieve effective spread patterns up to 90 feet (27m). You can even spread up to 2 ton (tonnes/hectare) rates of ag lime at 12 mph (19.3kph) with spread widths up to 60 feet (18m).

Efficient Conveyor Drive System Reduces Maintenance

The L3030G4 features a #5 moderate oil resistant belt. There is no conveyor chain or chain oiler so maintenance time and costs are greatly reduced. A 30 inch (76cm) 3-ply belt provides a smooth flow of product along with the strength and durability needed for high loads of fertilizer. This belt is ideal for regions with high humidity where material is constantly sticking to the chain and corroding vital components.



The L3030G4 comes standard with an efficient hydraulic system and 60,000 BTU cooler. The hydraulic system includes a 24 gallon (91 liters) reservoir with built-in side strainer and a return filter to capture contaminants. These features keep the system running cooler and cleaner for increased efficiency and life of all hydraulic components.



G4 Variable Rate Broadcaster

The variable rate broadcaster spreads material farther, wider and more consistently. The design also includes predetermined settings for fertilizer, urea, ag lime and wet lime to simplify spread pattern testing and daily application.



Designed For Flexibility And Low Maintenance.

Fertilizer Spreader



Single Hopper



With MultApplier Insert



With MultApplier Insert and MicroBin

Spread One, Two or Three Products in One Pass

For additional efficiencies, the L3030G4 can provide multiple product applications in one pass. This design is ideal for variable rate application of one, two and even three products. With the addition of the optional New Leader MultApplier™ unit, two products can be applied independently. Add the optional New Leader MicroBin™ and spread micronutrients or seeds as a third product in one pass.

Purchase the base spreader today and add the MultApplier insert or MicroBin hopper at a later time. With minimal effort, these optional components can be removed to provide a single hopper configuration for fertilizer or low rates of ag lime.

Spreading multiple products in one pass reduces man hours, field compaction and fuel consumption by reducing trips across the field. Spreading multiple products at once greatly reduces the need for blending. All these benefits add up to a higher return on your investment.



A History of Innovation

New Leader has been setting the industry standard in custom application equipment since 1939. For additional information on this ultimate fertilizer spreader, please contact your authorized New Leader dealer or call us at 800-363-1771.



Spread One, Two, Or Three Products In One Pass.

L3030G4 Specifications

L3030G4				With 5' Multiplier	With 7' Multiplier	L3030G4 Approx. Shipping Weight	
Body Length B	Overall A	Frame C	Cab to Axle or Cab to Tandem - CA/CT	Struck Capacity Cu Yd (Cu M) Cu Ft	Struck Capacity Cu Yd (Cu M) Cu Ft	Struck Capacity Cu Yd (Cu M) Cu Ft	
11' (3.36m)	160" (406cm)	123" (312cm)	84" (213cm) CA	8.6" (6.6) 232.1	4.72 (3.61) 127	3.16 (2.42) 85	3180 lbs 1442 kg
12' (3.66m)	172" (437cm)	135" (343cm)	102" (213cm) CA	9.4" (7.2) 254.6	5.51 (4.21) 149	3.94 (3.01) 106	3430 lbs 1556 kg
13' (3.96m)	184" (467cm)	147" (373cm)	102"-108" (259-274cm) CT	10.3" (7.8) 277.1	6.34 (4.85) 171	4.72 (3.61) 127	3680 lbs 1670 kg
14' (4.27m)	196" (498cm)	159" (404cm)	120" (305cm) CT	11.1" (8.5) 299.6	7.18 (5.49) 194	5.51 (4.21) 149	3930 lbs 1783 kg

Multiplier		
Length D	Struck Capacity Cu Yd (Cu M) Cu Ft	Approx. Shipping Weight
5' (1.52m)	4.25 (3.25) 115	1000 lbs 454 kg
7' (2.13m)	5.95 (4.55) 161	1100 lbs 500 kg

MicroBin	
Struck Capacity Cu Yd (Cu M) Cu Ft	Approx. Shipping Weight
0.407 (0.31) 11.0	440 lbs 199.6 kg



Highway Equipment Company
1330 76th Ave. SW • Cedar Rapids, IA 52404-7052
Phone: 319/363-8281 or 800/363-1771
FAX: 319/286-3351 or 800/363-8267
www.HighwayEquipment.com

Products and specifications subject to change without notice.
Photos and illustrations may or may not include optional equipment.
New Leader® is a registered trademark of Highway Equipment Company.
Copyright 2012 Highway Equipment Company, Inc. Form No. NL089-2012-03